

Multi Split

MULTI SPLIT Series

5 can connect up to UNITS



www.airconpr.com

HUMACAO
787-852-7772

CAPARRA
787-782-0282

BAYAMÓN
787-779-8233

RÍO PIEDRAS
787-281-7202

CAGUAS
787-258-0708

OF. CENTRAL
787-707-0556

PONCE
787-842-2400

MAYAGÜEZ
787-834-1408

TOA BAJA
787-780-0390

DPTO. COMERCIAL
787-707-0556

ARECIBO
787-816-9079

Multi Split



Specifications - Outdoor Unit

Model		Unit	AMSCI4H4S18	AMSCI4H4S24	AMSCI4H4S36	AMSCI4H4S42
Power Supply		V/Ph/Hz	208-230/1/60	208-230/1/60	208-230/1/60	208-230/1/60
Cooling Capacity (Min-Max)		Btu/h	18,000 (7,500-24,000)	24,000 (8,000-30,200)	32,000 (12,000-42,000)	42,000 (9,000-50,000)
Cooling Current Input		A	6.5	8.7	11	17.5
Air Flow Volume		CFM	1,850	2,350	3,411	3,411
EER		(Btu/h)/W	12.5	12.5	12.5	10.5
SEER		-	22	22	21	20
OUTDOOR UNIT	Sound Pressure Level	dB(A)	55	59	59	63
	Dimension (WxHxD)	inch	33-7/8 x 26-3/8 x 12-1/4	37-3/8 x 33 x 13-3/8	37-3/8 x 41-3/8 x 13-3/8	37-3/8 x 41-3/8 x 13-3/8
	Package Dimension (WxHxD)	inch	39 x 17-3/4 x 28-3/4	43-3/4 x 18-1/8 x 36-1/4	43-3/4 x 18-1/8 x 47-1/4	43-3/4 x 18-1/8 x 47-1/4
	Net Weight	lb	116.8	158.7	188.5	198.4
	Gross Weight	lb	125.6	169.5	220.5	224.5
PIPE CONNECTION	Refrigerant Charge	oz	63.49	81.13	105.82	120
	Outer Diameter Liquid Pipe	inch	1/4	1/4	1/4	1/4
	Outer Diameter Gas Pipe	inch	3/8	3/8	3/8	3/8



Specifications - Wall Mounted

Model		Unit	ASPCI4C4S09	ASPCI4C4S12	ASPCI4C4S18	ASPCI4C4S24
Power Supply		V/Ph/Hz	208-230/1/60	208-230/1/60	208-230/1/60	208-230/1/60
Cooling Capacity		Btu/h	9,000	12,000	18,000	23,400
Cooling Current Input		A	1.0-6.5	1.2-7.0	1.5-12	1.8-13
Air Flow Volume		CFM	341	365	647	706
INDOOR UNIT	Sound Pressure Level (H/M/L)	dB(A)	39/35/30	39/35/30	38/37/36	42/38/36
	Dimension (WxHxD)	inch	37-3/8x10-3/4 x 8-1/8	37-3/8 x 10-3/4 x 8-1/8	48 x 12-5/8 x 9-1/4	48 x 12-5/8 x 9-1/4
	Package Dimension (WxHxD)	inch	39-3/8 x 13-3/16 x 6-3/8	39-3/8 x 13-3/16 x 6-3/8	51-3/4 x 15-7/16 x 12-1/2	51-3/4 x 15-7/16 x 12-1/2
	Net Weight	lb	19.84	19.84	31.97	31.97
	Gross Weight	lb	24.25	24.25	37.48	37.48
PIPE CONNECTION	Outer Diameter Liquid Pipe	inch	1/4	1/4	1/4	3/8
	Outer Diameter Gas Pipe	inch	3/8	3/8	1/2	5/8

MULTI SPLIT Series



18,000 TO 42,000 BTU • Up To 22 SEER

HEAT OR COOL MULTIPLE ROOMS

Multi Splits allow the heating or cooling of multiple rooms with just one outdoor unit.

HEAT AND COOL

Heat pump air conditioners can both heat and cool.

MIX AND MATCH

Our Multi Split line not only offers wall mount type evaporators, but also cassette type, ducted type, and floor/ceiling type. These can be combined to suit your AC needs!



www.airconpr.com



Specifications - Cassette Type

Model		Unit	ASLEC4H4S09	ASLEC4H4S12	ASLEC4H4S18	ASLEC4H4S24
Power Supply		V/Ph/Hz	208-230/1/60	208-230/1/60	208-230/1/60	208-230/1/60
Cooling Capacity		Btu/h	9,000	12,000	18,000	23,400
Cooling Current Input		A	0.25	0.25	0.4	0.4
Air Flow Volume		CFM	306	353	559	647
INDOOR UNIT	Sound Pressure Level (H/M/L)	dB(A)	38/34/31	42/37/33	38/36/34	44/40/38
	Dimension (WxHxD)	inch	22-7/16 x 8-7/16x22-7/16	22-7/16 x 8-7/16x22-7/16	33 x 9-3/4 x 33	33 x 9-3/4 x 33
	Package Dimension (WxHxD)	inch	28-3/4 x 11-1/2 x 26-5/16	28-3/4 x 11-1/2 x 26-5/16	39-1/4 x 37-1/16 x 14-9/16	39-1/4 x 37-1/16 x 14-9/16
	Net Weight	lb	14.5	15.5	22.5	27
	Gross Weight	lb	38.5	40.5	73.8	79.5
PIPE CONNECTION	Outer Diameter Liquid Pipe	inch	1/4	1/4	1/4	3/8
	Outer Diameter Gas Pipe	inch	3/8	3/8	1/2	5/8



Specifications - Ducted Type

Model		Unit	ASLEK4H4S09	ASLEK4H4S12	ASLEK4H4S18	ASLEK4H4S24
Power Supply		V/Ph/Hz	208-230/1/60	208-230/1/60	208-230/1/60	208-230/1/60
Cooling Capacity		Btu/h	9,000	12,000	18,000	24,000
Cooling Current Input		A	0.25	0.25	0.33	0.5
Air Flow Volume		CFM	306	353	529	706
INDOOR UNIT	Sound Pressure Level (H/M/L)	dB(A)	35/33/32	36/34/33	38/37/36	42/38/36
	Dimension (WxHxD)	inch	35-7/8 x 7-7/16 x 17-1/2	35-7/8 x 7-7/16 x 17-1/2	35-3/8 x 10-5/8 x 28-3/8	46-7/16 x 7-1/2 x 17-1/2
	Package Dimension (WxHxD)	inch	42-1/2 x 11-1/4 x 22-1/4	42-1/2 x 11-1/4 x 22-1/4	46 x 13-3/8 x 34-1/4	53-1/8 x 11-1/4 x 22-1/4
	Net Weight	lb	18	18	22.5	30
	Gross Weight	lb	21	21	25.5	35
PIPE CONNECTION	Outer Diameter Liquid Pipe	inch	1/4	1/4	1/4	3/8
	Outer Diameter Gas Pipe	inch	3/8	3/8	1/2	5/8

